

Quantifying Carbon Footprint Reduction Opportunities of US Households and Communities





























Household A Carbon Footprint 2-person \$90k household in San Francisco




Household B Carbon Footprint 5-person \$45k household in St. Louis



Household A GHG Abatement Cost Curve



Household B GHG Abatement Cost Curve



- A Change diet
- B Telecommute
- C Take transit D - Eco-driving
- F Ride bike
- G Turn up thermostat
- H Turn down thermostat I - Reduce flying
- J Trade in vehicles K - Buy CFLs
- L Line-dry clothes M - Energy Star fridge

- A Change diet B - Telecommute
- C Take transit
- D Eco-driving
- H Turn down thermostat I - Reduce flying

F - Ride bike


G - Turn up thermostat

- J Trade in vehicles
- K Buy CFLs
- L Line-dry clothes M - Energy Star fridge


E - Maintain vehicles


E - Maintain vehicles

Christopher M. Jones and Daniel M. Kammen, Quantifying Carbon Footprint Reduction Opportunities for U.S. Households and Communities. Environ. Sci. Technol., 2011, 45 (9), pp 4088–4095




Christopher M. Jones and Daniel M. Kammen, Spatial Distribution of U.S. Household Carbon Footprints Reveals Suburbanization Undermines Greenhouse Gas Benefits of Urban Population Density. Environ. Sci. Technol., 2014, 48 (2), pp 895–902.








Christopher M. Jones & Daniel M. Kammen. A Consumption-Based Greenhouse Gas Inventory of San Francisco Bay Area Neighborhoods, Cities and Counties: Prioritizing Climate Action for Different Locations. Report prepared for the Bay Area Air Quality Management District. December 15, 2015

Household GHG Emissions from Transportation by Block Group














-52

















CBEI Methodology

- Expenditure profiles for average household in each of the ~4,700
 Census block groups in Bay Area then scale up
- Local input data:
 - Electricity & natural gas (by zip code...modified to block group)
 - Other: pubic transit, fuel economy, recycing/composting
 - Census data & weather
- Modeling using national household surveys (Bay Area respondents)
 - Consumer Expenditures Survey
 - National Household Travel Survey
 - Residential Energy Consumption Survey
- Life-cycle GHG emission factors for the "Kyoto 6" set of GHGs
 - Indirect Emissions: Comprehensive Environmental Data Archive
 - Bay Area-specific emissions factors (water, LCSF)

	Variable	Туре	USA	SF Bay Area		
Comparison of USA and SF Bay Area models for electricity	NUMROOM	Home Structure	18.6	7.9		
	HTNG	Home Structure		-9.5		
Dependent variable: In of kWh per HH	SQFTA	Home Structure		7.2		
	HTKWH	Home Structure	19.8			
(standardized t coefficients shown in table)	DETTACHED	Home Structure	7.3			
	PRICEKWH	Economic	-24.5			
Economic: 3 Demographics: 7 Geographic: 7 Combined: 1	PRICEKWHSQ	Economic	10.9			
	OWN	Economic	3.4	5.8		
	LNNUMIPL1	Demographic	21.5	14.5		
	LNINC	Demographic	9.7	8.7		
	HOHASN1	Demographic		-9.8		
	GRAD	Demographic		-5.5		
	WHITE	Demographic	6			
Excluded: Policy Equipment adoption rates Behavior	BLACK	Demographic	4.2			
	AGE	Demographic	-2.2			
	CDD65	Geographic	17.5			
	RURAL	Geographic	7.9			
	5 Location Dummies	Geographic	-10 – 3.4			
	LNCDDSQFT	Combined		11.9		


Electricity model validation & adjustments




CoolClimate modeled electricity (x-axis) vs. actual electricity (y-axis) by zip code;

CoolClimate modeled electricity, adjusted to mean of actual by zip code (x-axis) vs. actual electricity (y-axis) by census block group


Modeled vs. Actual Result Shows Efficiency of Each Location (policy + behavior)




A Measure of Technical Potential for Energy Efficiency (electricity only)?



A Measure of Achievable Potential for Energy Efficiency (electricity only)?
















Typical California School



Energy@carbon@footprint@from@typical@Davis@CA@homes@

source: CoolCalifornia.org/calculator 2



Lighting


Small@Appliances@


Large Appliances 2


Hot water 2

Cooling²

Heating²











Mitigation Wedges California Max Scenario


	2010	2020	2030	2040	2050
Transportation	76,214,168	23 36,680,214	777779 8,887,208	27777776 4,093,360	777777777777 3,342,082
Housing	777777777 6,384,619	277775 17,574,080	777775 19,286,176	7777777 2,734,032	77777777777779,132,003
Food	77777711 02,186,301	201,484,957	777779 9,552,530	7777779 6,416,021	77777777777777777777777777777777777777
Goods	777777779 1,036,028	777778 3,711,302	777777 14,866,186	7777778 4,681,621	777777777777 53,338,547
Services	777777778 2,686,583	777778 0,208,374	2777777 5,702,073	7777778 9,059,209	77777777777776 0,171,313
Electric Dehicles	???????????????????	77777 7,893,971	777775 3,099,101	7777774 6,241,177	7,442,113
50+IMPGIVehiclesI	????????????????????	7777773 ,067,348	77777779 ,427,473	77777718 ,669,645	mmmmm,210,177
Urbanınfill	36666666666666666666666 365	7777777777777777777777777777777777777	mmm2,031,162	######B,034,071@	381,005
VMTIReduction	???????????????????? –	7777776 ,693,794	1,969,961	7777771 5,920,690	7,456,730
Low Carbon dehicle Fuels	???????????????????????????????????????	7777776 ,699,094	2,113,469	7777771 6,507,803	777777777777 20,048,462
Air™ravelæfficiency	????????????????????? –	7777779 ,534,452	9,923,513	7777778 1,011,271	7777777777772 ,641,813
Air@ravel@Reduction	???????????????????????????????????????	7777776 ,370,312	3,566,762	7777772 1,348,724	777777777777 9,446,902
Renewable⊞lectricity	???????????????????????????????????????	7777772 ,323,566	77777774 ,600,514	777777778 ,734,749	######################################
EnergyŒfficiency	??????????????????????????????????????	77777772 ,995,373	.217,057	.921,775	mmmmmm,619,629?
Energy Conservation	311111111111111111111111	983,725	mmm,176,271	mmmm3 ,727,848	mmmmmm2,150,638?
Heating⊞lectrification	3466444444444444444444 (364)	725,663	77777778 ,108,913	#######B,515,727	7777777777777777777777777777777777777
Home ß ize ⊞ fficiency	?????????????????????	777777778 63,177	77777771 ,015,581	77777771 ,517,035	######################################
Waste⊞fficiencyß©Cons.	????????????????????????	7777777777 505,778	777777779 86,199	7777777 ,419,700	7777777777777777777777777777777777777
Water Conservation	?????????????????????	7777771,210,522	77777772 ,229,000	77777778 ,012,024	7777777777777777777777777777777777777
CommercialŒfficiency	?????????????????????	7777774 ,473,352	7777779 ,624,750	7777771 5,454,194	1,961,684
Industrial Efficieny	?????????????????????	7777774 ,925,058	777771 0,596,629	7,014,713	777777777777 24,179,310
Shift©consumption	3666444444444444444444 36 5	77777772 ,163,878?	mmm3 ,990,638	77777775 ,339,713	777777777777 6,070,538?
Agricultural Œ fficiency	3666444444444444444444 36 5	77777776 ,910,361?	77777771 4,868,156	3,873,386	mmmmmm3,926,049?
Health Diets	????????????????????? –	7777772 ,283,928	7777779 ,515,606	777777778 ,610,826	7777777777778 ,485,381
Taxation	?????????????????	3666666666666	36666666666666666666666666666666666666	366666666666666	?????????????????????????? -
TOTALBEFOREMITIGATION	28,507,698	238 43,508,634	77778 50,354,929	77775 49,859,314	77777777777 542,474,008
MITIGATION	??????????????????	3,849,706	???? 62,060,756	????? 32,875,072	77777777777 94,538,333
TOTALAFTERAMITIGATION	777777713 28,507,698	22 59,658,928	37773 88,294,174	77773 16,984,242	77777777777 247,935,676




















Relevance for EE Potential Studies:

- 1. Proposed Efficiency Method: 20% achievable potential; 30% technical potential efficiency for electricity in SF Bay Area
- 2. Carbon footprints (incl. energy) and mitigation potential vary widely by location
- 3. More work on EE and CF potential is needed for other locations
- 1. Important to consider full lifecycle impacts in decisions
- 2. Optimal EE strategy is not necessarily the optimal GHG strategy
 - 1. Example: ZNE ≠ ZNC
 - 2. RE is cheaper and easier than many EE measures....important to consider alternatives to EE. Implication: limit potential to cost-effective vs. RE?
 - 3. Incremental improvements in EE may prevent meeting long-term GHG reduction targets e.g., need to phase out natural gas

Comments?

cmjones@berkeley.edu

Results

- Total GHG emissions (530M tCO2e) are 16% higher than the production-based perspective in 2010 (which was 456M tCO2e)
- Food becomes the largest portion of carbon footprints by 2035 (also services due to shifting spending on goods to services)
- 50% GHG reduction in absolute terms is the max possible under the most aggressive scenario for 2050 for CA (from the consumption perspective)
- Cities in the Central Valley experiencing population boom (e.g., Bakersfield will grow by 90%) can only reduce by 30% (and 0% reduction in the Medium scenario)
- Some cities are expected to decrease in population, making deeper reductions much more feasible
- Air travel becomes a larger share of emissions, but holds large potential for deep reductions using advanced biofuels (plus efficient design)
- Conservation reduces up to 15% GHG reduction in 2050, but its contribution is minimal in 2050 if technology is primarily renewable.
- High-Speed Rail reduces total emissions by less than 0.5%, but contributes to urban infill which has potential for 0 10% reduction depending on the location
- Urban infill has higher potential in SF Bay Area where public transit access reduces car dependency.


Policy Implications

- An increasing share of California's carbon footprint will occur outside the geographic boundaries
- Local governments and the state should incorporate consumption-based emissions and targets
- Local governments should consider adopting per capita targets
- The mix of GHG mitigation opportunities depends on the target. California's 2030 target calls for a mix of urban infill, technology and conservation. California's 2050 target would focus on technology
- Near complete electrification of vehicles and heating with renewable electricity is needed to meet most aggressive scenarios (e.g., California's 2050 target)
- California should set 50% GHG reduction target by 2050 from consumption perspective. This
 would send strong single internationally.
- Method creates emissions and migration scenarios for every CA city and county, with maps at neighborhood scale. Can be readily scaled up to all of US and internationally.
- Public transportation infrastructure similar to the SF Bay Area would be needed in the Central Valley in order realize the full benefits of urban infill

Future work

- Deep dive paper comparing cities, land use
- Method to compare production-based and consumption-based emissions
- Develop scenarios for policies under local, regional and state control
- Include cost of measures, and individual policies supporting each area of reductions
- Deep dive on feasible reduction under local, regional and state policies
- Cost of 50% reduction to state government, municipalities, regions, households
- Run least-cost optimization for policies under control by each location
- Develop online tool (current spreadsheet tool is set up to make this easy)

Distribution of U.S. household carbon footprints



	POLICIES	Selected Scenario	SCENARIOS										
#		Scenario 2) SB375	Scenario 1) BAU	Scenario 2) SB375	Scenario 3) SB375 +	Scenario 4) High Tech	5) Conserv e	Scenario 6) Max	Scenario 7) Med.	Scenari o 8) Low	Scenari o 9) HSR	Scenario 10) HSR+	Custom
	SMART GROWTH												
	Urban Infill	67%	10%	67%	77%	10%	10%	77%	50%	25%	0%	5%	0%
1	SB375 (state, local)	67%	10%	67%	67%	10%	10%	67%	50%	25%	0%	5%	
2	SB375+ (local)	0%			10%			10%					
	Home Size (new)	0%	0%	0%	20%	0%	0%	20%	10%	5%	0%	0%	0%
3	Tax shift (local)	0%			20%			20%	10%	5%			
	TECHNOLOGY												
ſ	Electric Vehicles	0%	0%	0%	0%	70%	0%	70%	45%	30%	0%	0%	0%
4	Incentives (state)	0%				50%		50%	40%	30%			
5	Charging infrastructure (state, local)	0%				10%		10%	5%				
6	Behavior campaigns (local)	0%				10%		10%					
	50+ MPG Vehicles	25%	25%	25%	25%	30%	0%	30%	20%	15%	25%	25%	0%
7	Incentives (state)	25%	25%	25%	25%	30%		30%	20%	15%	25%	25%	
8	Behavior campaigns (local)	0%											
L	Renewable Electricity	60%	60%	60%	60%	100%	60%	100%	85%	60%	60%	60%	0%
9	RPS (state)	50%	50%	50%	50%	80%	50%	80%	70%	50%	50%	50%	
0	Distributed generation (local)	10%	10%	10%	10%	20%	10%	20%	15%	10%	10%	10%	
Į	Heating Electrification (new)	0%	0%	0%	0%	100%	0%	100%	50%	25%	0%	0%	0%
1	Building codes (state, local)	0%	0%			100%		100%	50%	25%			
- Р	Heating Electrification (existing)	0%	0%	0%	0%	100%	0%	100%	50%	25%	0%	0%	0%
2	Building codes (state, local)	0%				100%		100%	50%	25%			
- 15	Energy Efficiency (new)	30%	30%	30%	30%	50%	30%	100%	100%	100%	30%	30%	0%
3	Building codes (state, local)	30%	30%	30%	30%	50%	30%	100%	100%	100%	30%	30%	-24
ъ	Energy Efficiency (existing)	20%	20%	20%	20%	50%	20%	40%	40%	30%	20%	20%	0%
1	Incentives (state)	20%	20%	20%	20%	40%	20%	40%	40%	30%	20%	20%	
į	Retrofit programs (state, local)		460/	4.007	4.007	10%	400/	200/	200/	4.504	450/	450/	60/
ŀ	Low Carbon Fuels	10%	10%	10%	10%	30%	10%	30%	20%	15%	10%	10%	0%
ì	LCFS (state)	10%	10%	10%	10%	30%	10%	30%	20%	15%	10%	10%	00/
÷	Air Travel Efficiency	0%	0%	0%	0%	40%	0%	40%	25%	10%	0%	0%	0%
,	Biofuels	0% 0%	0%	0%	0%	30%		30% 10%	20% 5%	10%			
3	Lightweighting	30%	30%	30%	30%	10% 30%	50%	30%	50%	40%	30%	30%	30%
ŀ	Commercial Efficiency	30%	30%	30%	30%	30%	50%	30%	50%	40%	30%	30%	30%
L	Building codes (state, local) Waste Efficiency	0%	0%	0%	0%	40%	0%	40%	20%	5%	0%	0%	0%
ŀ	Waste Efficiency Waste to energy (local)	0%	U/0	U70	U70	20%	U70	20%	10%	5%	U70	U70	070
2	Waste to energy (local) Waste stream efficiency (local)					20%		20%	10%	3/0			
- 14	Industrial Efficiency	30%	30%	30%	30%	30%	30%	50%	40%	35%	30%	30%	30%
3	Cap-n-trade (state)	30%	30%	30%	30%	30%	30%	50%	40%	35%	30%	30%	30%
- 1-	Agricultural Efficiency	5%	5%	5%	5%	30%	10%	30%	20%	10%	5%	5%	5%
ŀ	Incentives (state)		5%	5%	5%	30%	10%	30%	20%	10%	5%	5%	5%
L	Reducd Consumption	3/0	3/0	3/0	370	3070	10/0	30/0	20/0	1070	3/0	3/0	3/0
М	·	50/	0%	50/	50/	00/	20%	10%	00/	0%	20/	20/	10%
L	VMT Reduction	5%	0%	5%	5%	0%	20%	10%	0%	0%	3%	3%	10%

	Renewable Electricity	60%	60%	60%	60%	100%	60%	100%	85%	60%	60%	60%	0%
9	RPS (state)	50%	50%	50%	50%	80%	50%	80%	70%	50%	50%	50%	
10	Distributed generation (local)	10%	10%	10%	10%	20%	10%	20%	15%	10%	10%	10%	
	Heating Electrification (new)	0%	0%	0%	0%	100%	0%	100%	50%	25%	0%	0%	0%
11	Building codes (state, local)	0%	0%			100%		100%	50%	25%			
	Heating Electrification (existing)	0%	0%	0%	0%	100%	0%	100%	50%	25%	0%	0%	0%
12	Building codes (state, local)	0%				100%		100%	50%	25%			
	Energy Efficiency (new)	30%	30%	30%	30%	50%	30%	100%	100%	100%	30%	30%	0%
13	Building codes (state, local)	30%	30%	30%	30%	50%	30%	100%	100%	100%	30%	30%	•
	Energy Efficiency (existing)	20%	20%	20%	20%	50%	20%	40%	40%	30%	20%	20%	0%
14	Incentives (state)	20%	20%	20%	20%	40%	20%	40%	40%	30%	20%	20%	
15	Retrofit programs (state, local)	0%				10%							
	Low Carbon Fuels	10%	10%	10%	10%	30%	10%	30%	20%	15%	10%	10%	0%
16	LCFS (state)	10%	10%	10%	10%	30%	10%	30%	20%	15%	10%	10%	
	Air Travel Efficiency	0%	0%	0%	0%	40%	0%	40%	25%	10%	0%	0%	0%
17	Biofuels	0%	0%	0%	0%	30%		30%	20%	10%			
18	Lightweighting	0%				10%		10%	5%				
	Commercial Efficiency	30%	30%	30%	30%	30%	50%	30%	50%	40%	30%	30%	30%
20	Building codes (state, local)	30%	30%	30%	30%	30%	50%	30%	50%	40%	30%	30%	30%
	Waste Efficiency	0%	0%	0%	0%	40%	0%	40%	20%	5%	0%	0%	0%
21	Waste to energy (local)	0%				20%		20%	10%	5%			
22	Waste stream efficiency (local)	0%				20%		20%	10%				
	Industrial Efficiency	30%	30%	30%	30%	30%	30%	50%	40%	35%	30%	30%	30%
23	Cap-n-trade (state)	30%	30%	30%	30%	30%	30%	50%	40%	35%	30%	30%	30%
	Agricultural Efficiency	5%	5%	5%	5%	30%	10%	30%	20%	10%	5%	5%	5%
24	Incentives (state)	5%	5%	5%	5%	30%	10%	30%	20%	10%	5%	5%	5%
	Reducd Consumption												
	VMT Reduction	5%	0%	5%	5%	0%	20%	10%	0%	0%	3%	3%	10%
25	HSR (state)	5%		5%	5%		5%	5%	0%	0%	3%	3%	10%
26	Public transit (local)	0%					10%	5%					
27	Biking, walking, etc. (local)	0%					5%						
	Air Travel Reduction	5%	0%	5%	5%	0%	15%	15%	10%	5%	5%	5%	0%
28	HSR (state)	5%		5%	5%		5%	5%	5%	5%	5%	5%	
29	Other (local)	0%					10%	10%	5%				
	Energy Conservation	0%	0%	0%	0%	0%	25%	25%	15%	10%	0%	0%	0%
29	Behavior campaigns (local)	0%					25%	25%	15%	10%			
	Shift Consumption	0%	0%	0%	0%	0%	25%	25%	15%	10%	0%	0%	0%
30	Behavior campaigns (local)	0%					25%	25%	15%	10%			
	Healthy Diets	0%	0%	0%	0%	0%	10%	10%	5%	0%	0%	0%	0%
31		0%					10%	10%	5%	0%			
32		0%	-5:	-5:			5%	5%					
	Waste Conversion	0%	0%	0%	0%	0%	30%	30%	20%	10%	0%	0%	0%
33	Behavior campaigns (local)	0%	5 0/	50 /	20/	20/	30%	30%	20%	10%	20/	-0/	20/
	Water Conservation	0%	0%	0%	0%	0%	30%	30%	20%	10%	0%	0%	0%
34		0%	-c.	-c.	201	201	30%	30%	20%	10%			
	Taxation	0%	0%	0%	0%	0%	15%	15%	10%	5%	0%	0%	0%
					1		15%	15%	1 100/	E 0/	1		i
35 36	Carbon tax(state, local) Carbon offsets (local)	0% 0%					1370	13/0	10%	5%			

The BIG Problem

Climate change is the result of countless daily actions by billions of people embedded in a massive global economy, governed by laws, economic and social forces that influence their actions.

A Smaller Solvable Problem

Those interested in addressing their impact on climate change typically lack understanding of the best opportunities and the potential consequences of those actions.


CoolClimate Vision

Smart Tools for a Cooler Planet


CoolClimate's envisions a world in which every national, state and local government, business, organization and household has access (and exposure) to *smart* greenhouse gas decision-making tools, policies and programs.


Smart tools:


- instantly provide usable information,
- are elegantly designed to be user-friendly and esthetically appealing,
- learn from interactions with other users,
- utilize insights from behavioral sciences to motivate users to take action, and
- encourage democratic and participatory decision-making




Source: CoolCalifornia Local Government Decision-support Tool (in review)







Wei M, Nelson, J.H, Greenblatt, J.B., Mileva, A., Johnston, J., Ting, M., Jones, C.M., Yang, C., McMahon, J.E., Kammen, D.M., *Deep carbon reductions in California require electrification and integration across economic sectors*. Environmental Research Letters (8) 014038



Wei M, Nelson, J.H, Greenblatt, J.B., Mileva, A., Johnston, J., Ting, M., Jones, C.M., Yang, C., McMahon, J.E., Kammen, D.M., *Deep carbon reductions in California require electrification and integration across economic sectors*. Environmental Research Letters (8) 014038

A Behavior Wedge for California households

